

/// Socket, screw terminal, wall/rail mount

Sockets for extreme reliability, within long endurance applications and harsh environments

V16 Socket



Description

The V16 is a surface / wall and 35 mm rail mount relay socket. The V16 socket is suitable for two stripped wires up to 3.3 mm², so looping/daisy chaining can be done on the socket and no external connector or terminal is needed.

Equipped with an integrated retaining clip.

To prevent fault relay placement the socket can be equipped with mechanical keying to accept only designated identical keyed relays.

Application

The V16 relay socket is suitable for general railway applications with a space saving design. Installation and replacement of relays is easy and cost saving. No maintenance is required for the user.


Suitable for all CU relay series.


Features


- Surface / wall and 35 mm rail mount
- Screw terminals
- Integrated retaining clip
- · Space saving
- Suitable for all CU relay series
- Up to two wires of 3.3 mm2 per connection terminal
- · Positive mechanical keying
- · Optional diode or double zener protection device
- Bifurcated female receiver for tight grip relay pin
- Clear terminal ID

Drawing

Dimensions in mm, tolerance ± 0.5 mm







Railway compliancy

EN 50155 IEC 60571 IEC 60715 NF F16-101/102 NF F 62-002



Technical specifications

Socket

Technical characteristics

Contact rating		8 A
Non-repetitive peak current	NF F 62-002	200 A / 10 ms
Dielectric strength	IEC 60255, IEC 60571	- 4000 V, 50 Hz, 1 min between coil and contacts - 2500 V, 50 Hz, 1 min between contacts sets - 2500 V between terminals and mounting plate
Mounting		Surface / wall mounting or 35 mm rail mounting
Max. ambient temperature		80 °C
Weight		52 g
Dimensions		87 x 23 x 63 mm
Wire size		0.34 - 3.3 mm ²
Wire stripping length		6-7 mm
Material		Polyamide 66 , 30% glass
Integrated retaining clip		Standard with 2 clips, optional with 1 clip for easier removal of relay (option G)
Electronic components		Back EMF protection diode BYW56 (+ at a) (optional) Double zener diode 1.5KECA (optional)
Max. torque value	mounting screws terminal screws	0.6 Nm 1.13 Nm
Accessories		A104 key receptacle, A171 CU extractor









For more detailed technical specifications, drawings and ordering information, go to the product page on www.morssmitt.com

POver 10 million Mors Smitt relays in use in rail transport applications worldwide!

Mors Smitt Asia Ltd. Unit B & C, 25/F., Casey Aberdeen House 38 Heung Yip Road, Wong Chuk Hang **Hong Kong** Tel: +852 2343 555 sales.msa@wabtec.com

Wabtec Netherlands B.V. Darwinstraat 10 6718 XE Ede, Netherlands Tel: +31 (0)88 600 4500 sales.msbv@wabtec.com

Mors Smitt France SAS 2 Rue de la Mandinière 72300 Sablé-sur-Sarthe, France Tel: +33 (0) 243 92 82 00 sales.msf@wabtec.com

Mors Smitt Technologies Ltd. 1010 Johnson Drive, Buffalo Grove, IL 60089-6918, USA Tel: +1 847 777 6497 salesmst@wabtec.com

Mors Smitt UK Ltd. Graycar Business Park, Burton on Trent, DE13 8EN, UK Tel: +44 (0)1283 357 263 sales.msuk@wabtec.com

RMS Mors Smitt 19 Southern Court, Keysborough, VIC 3173, Australia Tel: +61 (0)3 8544 1200 sales.rms@wabtec.com

(c) Copyright 2020

(c) Copyright 2020
All rights reserved. Nothing from this edition may be multiplied, or made public in any form or manner, either electronically, mechanically, by photocopying, recording, or in any manner, without prior written consent from Mors Smitt. This also applies to accompanying drawings and diagrams. Due to a policy of continuous development Mors Smitt reserves the right to alter the equipment specification and description outlined in this datasheet without prior notice and no part of this publication shall be deemed to be part of any contract for the equipment unless specifically referred to as an inclusion within such contract. Mors Smitt does not warrant that any of the information contained herein is complete, accurate, free from potential errors, or fit for any particular purpose. Mors Smitt does not accept any responsibility arising from any party's use of the information in this document.



Mechanical keying relay and socket (optional)






Function:

- To prevent wrong installation
- To prevent damage to equipment
- To prevent unsafe situations

Using keyed relays and sockets prevents a relay being inserted in a wrong socket. For example it prevents placing a 24 VDC relay in a 110 VDC circuit. Positive discrimination is possible per different funtion, coil voltage, timing, monitoring, safety and non-safety.

The CU-series relay socket keying option gives 8 possibilities. Upon ordering the customer simply indicates the need for the optional keying. Mors Smitt will assign a code to the relay and fix the pins into the relay. The sockets are supplied with loose key receptacles. Inserting the keys into the socket is very simple and self explaining.

Remark: Sockets and relay shown are examples.





Installation and inspection

Installation

Before installation or working on the relay: disconnect the power supply first!

Install socket and connect wiring according to the terminal identification. Plug relay into the socket ensuring there is no gap between the bottom of relay and the socket. Reverse installation into the socket is not possible. Don't install the socket with the pinning on top of the rail (make sure "b 21 11 a" is not upside down).

Warning!

- To remove relays from the socket, employ left en right lever movements. Up and down movement may cause damage to the relay.

When plugging the relay into the socket, the female bifurcated receivers will automatically cut through the corrosion on the pins and guarantee a reliable connection.

Inspection

If the socket does not work after inspection of the correct wiring and relay connection, replace the unit with a similar model.

When returning products for investigation, please provide all information on the RMA form. Send defective products back to the manufacturer for repair or replacement. Normal wear and tear or external causes are excluded from warranty.

Page 4/6



Ordering codes



Article no.	Code	Description
338001500	V16	Relay socket, screw terminal, 2 retaining clips
338001501	V16-D	with diode
338001502	V16-Q1	double zener (nom. voltage relay: 12 V - 30 V)
338001503	V16-Q2	with double zener (nom. voltage relay: 30 V - 45 V)
338001504	V16-Q3	with double zener (nom. voltage relay: 45 V - 65 V)
338001505	V16-Q4	with double zener (nom. voltage relay: 65 V - 90 V)
338001506	V16-Q5	with double zener (nom. voltage relay: 90 V - 150 V)

Option G

338001507	V16-G	Relay socket, screw terminal, 1 retaining clip
338001508	V16-DG	with diode
338001509	V16-GQ1	double zener (nom. voltage relay: 12 V - 30 V)
338001510	V16-GQ2	with double zener (nom. voltage relay: 30 V - 45 V)
338001511	V16-GQ3	with double zener (nom. voltage relay: 45 V - 65 V)
338001512	V16-GQ4	with double zener (nom. voltage relay: 65 V - 90 V)
338001513	V16-GQ5	with double zener (nom. voltage relay: 90 V - 150 V)

378690100	A104	Key receptacle
502110000	A171	CU extractor

X8	DIN marking 24 22 12 14
	Example: V16-X8 V16-DX8 etc.





Mors Smitt Asia Ltd.
Unit B & C, 25/F., Casey Aberdeen House
38 Heung Yip Road, Wong Chuk Hang
Hong Kong
Tel: +852 2343 555
sales.msa@wabtec.com

Wabtec Netherlands B.V. Darwinstraat 10 6718 XE Ede, Netherlands Tel: +31 (0)88 600 4500 sales.msbv@wabtec.com Mors Smitt France SAS 2 Rue de la Mandinière 72300 Sablé-sur-Sarthe, France Tel: +33 (0) 243 92 82 00 sales.msf@wabtec.com

Mors Smitt Technologies Ltd. 1010 Johnson Drive, Buffalo Grove, IL 60089-6918, USA Tel: +1 847 777 6497 salesmst@wabtec.com Mors Smitt UK Ltd. Graycar Business Park, Burton on Trent, DE13 8EN, UK Tel: +44 (0)1283 357 263 sales.msuk@wabtec.com

RMS Mors Smitt 19 Southern Court, Keysborough, VIC 3173, Australia Tel: +61 (0)3 8544 1200 sales.rms@wabtec.com

(c) Copyright 2020

All rights reserved. Nothing from this edition may be multiplied, or made public in any form or manner, either electronically, mechanically, by photocopying, recording, or in any manner, without prior written consent from Mors Smitt. This also applies to accompanying drawings and diagrams. Due to a policy of continuous development Mors Smitt reserves the right to alter the equipment specification and description outlined in this datasheet without prior notice and no part of this publication shall be deemed to be part of any contract for the equipment unless specifically referred to as an inclusion within such contract. Mors Smitt does not warrant that any of the information contained herein is complete, accurate, free from potential errors, or fit for any particular purpose. Mors Smitt does not accept any responsibility arising from any party's use of the information in this document.